

FORM PTO-1390 (REV 11-2000)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER <b>450101-02788</b>
<b>TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371</b>		U.S. APPLICATION NO. (if known see 37 C.F.R. 1.5) <b>09/868002</b>
INTERNATIONAL APPLICATION NO. <b>PCT/JP00/07159</b>	INTERNATIONAL FILING DATE <b>16 OCTOBER 2000</b>	PRIORITY DATE CLAIMED <b>15 OCTOBER 1999</b>
TITLE OF INVENTION INFORMATION PROCESSING APPARATUS, INFORMATION PROCESSING METHOD AND RECORDING MEDIUM		
APPLICANT(S) FOR DO/EO/US <b>Ikuo NAKAMURA</b>		

Applicants herewith submit to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

- ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
- ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
- ☒ This is an express request to promptly begin national examination procedures (35 U.S.C. 371(f)).
- ☐ The US has been elected by the expiration of 19 months from the priority date (PCT Article 31).
- ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
  - ☐ is attached hereto (required only if not communicated by the International Bureau).
  - ☒ has been communicated by the International Bureau.
  - ☒ is not required, as the application was filed in the United States Receiving Office (RO/US).
- ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
- ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
  - ☐ are attached hereto (required only if not communicated by the International Bureau).
  - ☒ have been communicated by the International Bureau.
  - ☐ have not been made; however, the time limit for making such amendments has **NOT** expired.
  - ☐ have not been made and will not be made.
- ☐ A English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
- ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

**Items 11 to 20 below concern document(s) or information included:**

- ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
- ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
- ☒ A **FIRST** preliminary amendment.
- ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
- ☐ A substitute specification.
- ☐ A change of power of attorney and/or address letter.
- ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
- ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
- ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
- ☒ Other items or information:  
 PCT/RO/101, PCT/ISA/210  
 PCT/IB/301, 304, 308  
 9 Sheets of Drawings, 1 Page Abstract

**EXPRESS MAIL**

Mailing Label Number: **E1.742692567US**

Date of Deposit: **June 13, 2001**


I hereby certify that this paper or fee is being deposited with the United States Postal Service

"Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents and Trademarks, Box PCT Washington, DC 20231

*Charles J. Jackson*  
 (Typed or printed name of person mailing paper or fee)

*Charles J. Jackson*  
 (Signature of person mailing paper or fee)

U.S. APPLICATION NO. **097866002**INTERNATIONAL APPLICATION NO.  
PCT/JP00/07159ATTORNEY'S DOCKET NO.  
450101-02788

21. <input checked="" type="checkbox"/> The following fees are submitted				CALCULATIONS PTO USE ONLY	
<b>BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5)):</b> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO ..... \$1000.00  International preliminary examination fee (37 C.F.R. 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... \$860.00  International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... \$710.00  International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... \$690.00  International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) ..... \$100.00					
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				<b>\$ 860.00</b>	
Surcharge of <b>\$130.00</b> for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
Total Claims	11 - 20 =	0	x \$18.00	\$	0.00
Independent Claims	3 - 3 =	0	x \$80.00	\$	0.00
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$270.00	\$	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				\$	
<input type="checkbox"/> Applicant claims small entity status. See 37 C.F.R. 1.27. The fees indicated above are reduced by 1/2.				+	\$
<b>SUBTOTAL =</b>				\$	
Processing fee of <b>\$130.00</b> for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$	
<b>TOTAL NATIONAL FEE =</b>				\$	860.00
Fee for recording the enclosed assignments (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). <b>\$40.00</b> per property				+	\$ 40.00
<b>TOTAL FEES ENCLOSED =</b>				\$	900.00
				Amount to be refunded:	\$
				Charged:	\$
a. <input checked="" type="checkbox"/> Two checks in the amount of <b>\$ 900.00</b> to cover the above fees are enclosed.  b. <input type="checkbox"/> Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed.  c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <b>50-0320</b> . A duplicate copy of this sheet is enclosed.  d. <input type="checkbox"/> Fees are to be charged to a credit card. <b>WARNING:</b> Information on this form may become public. <b>Credit card information should not be included on this form.</b> Provide credit card information and authorization on PTO-2038.					
<b>NOTE:</b> Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO:					
WILLIAM S. FROMMER, ESQ. FROMMER LAWRENCE & HAUG LLP 745 FIFTH AVENUE NEW YORK, NEW YORK 10151					
				SIGNATURE 	
				WILLIAM S. FROMMER	
				NAME	
				25.506	
				REGISTRATION NUMBER	
Dated: June 13, 2001					

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Ikuo NAKAMURA  
Filed.: Filed Concurrently Herewith  
Title of Invention: INFORMATION PROCESSING APPARATUS,  
INFORMATION PROCESSING METHOD AND  
RECORDING MEDIUM


745 Fifth Avenue  
New York, NY 10151


**EXPRESS MAIL**

Mailing Label Number: EL742692567US

Date of Deposit: June 13, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Honorable Commissioner of Patents and Trademarks, Washington, DC 20231.

  
(Typed or printed name of person mailing paper or fee)

  
(Signature of person mailing paper or fee)

**PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents  
Box PCT  
Washington, D.C. 20231

Sir:

Before the issuance of the first Office Action, please amend the above-identified application as follows:

**IN THE CLAIMS:**

Please cancel claims 1-11 and add the following new claims 12-22:

12. An information processing apparatus for carrying out transmission and reception of information with electronic equipment through network, the information processing apparatus comprising:

acquisition means for carrying out acquisition of control information necessary for carrying out control of the electronic equipment from the electronic equipment;

detecting means for detecting identification data recorded on a recording medium mounted on the electronic equipment on the basis of the control information acquired by the acquisition means;

input means for inputting related information relating to the recording medium;

memory means for storing the related information inputted by the input means in correspondence with the identification data;

comparing means for comparing the identification data recorded on the recording medium with the related information inputted by the input means; and

display means for carrying out display of the related information stored in the memory means.

13. The information processing apparatus as set forth in claim 12, wherein the acquisition of the control information is carried out when the electronic equipment is connected to the network.

14. The information processing apparatus as set forth in claim 12, wherein the network is constituted by IEEE 1394 bus.

15. The information processing apparatus as set forth in claim 12, wherein the detecting means detects the identification data through the network.

16. The information processing apparatus as set forth in claim 12, wherein the identification data is TOC data.

17. An information processing method for carrying out transmission and reception of information with an electronic equipment through network, the information processing method comprising the steps of:

carrying out acquisition of control information necessary for carrying out control of the electronic equipment from the electronic equipment;

detecting identification data recorded on a recording medium mounted on the electronic equipment on the basis of the control information acquired by the acquisition step;

inputting related information relating to the recording medium;

storing the related information inputted by the input step in correspondence with the identification data;

comparing the identification data recorded on the recording medium and the related information inputted by the input step; and

carrying out display of the stored related information.

18. The information processing method as set forth in claim 17, further comprising a step of comparing the identification data recorded on the recording medium with the inputted related information.

19. The information processing method as set forth in claim 17, wherein the recording medium is a reproduction only recording medium.

20. The information processing method as set forth in claim 17, wherein detection of identification data recorded on the recording medium is carried out through the network.

# 2025

Respectfully submitted,

By:

Reg. No. 25,506

Tel. (212) 588-0800

## DESCRIPTION

## Information Processing Apparatus, Information Processing Method and Recording Medium

## Technical Field

This invention relates to an information processing apparatus and an information processing method adapted for detecting identification data of recording medium to store related information relating to the recording medium in correspondence with the detected identification data and to display such information on display unit, and a recording medium used in such apparatus and method.

## Background Art

In the home network system such as IEEE (The Institute of Electrical and Electronics Engineers) 1394 serial bus, etc., plural electronic equipments, e.g., IRD (Integrated Receiver Decoder) and/or CD (Compact Disc) player, etc. are connected to carry out transmission/reception of information between respective electronic equipments, thus making it possible to execute reproduction or recording of information. At the IEEE 1394 serial bus, electronic equipment of the control side provides AV/C (Audio Video/Control) command with respect to electronic equipment of the side to be controlled so that the control of the electronic equipment of the side to be controlled is carried out.

Meanwhile, in the conventional home network system, user could not add, e.g., user information which are arbitrary additional information such as a peculiar title or the name of music to an unrecordable reproduction only recording medium such as CD, etc. to carry out the management of CD on the basis of the above-mentioned information.

#### Disclosure of the Invention

An object of this invention is to provide a novel information processing apparatus and a novel information processing method which can solve the problems that the conventional home network systems have, and a recording medium used in such apparatus and method.

In more practical sense, an object of this invention is to provide an information processing apparatus and an information processing method adapted for storing related information in correspondence with identification data of recording medium, thereby making it possible to carry out management on the basis of user information that user has added even in the case where reproduction only recording medium is employed, and a recording medium used in such apparatus and method.

The information processing apparatus according to this invention proposed in order to attain such object comprises: a detecting section for detecting identification data recorded on a recording medium; input means for inputting related information relating to the recording medium; a memory section for storing the related information



The information processing apparatus further comprises a comparing section for comparing the identification data recorded on the recording medium and related information inputted by the input means. The comparing section controls display of related information stored in the memory section in accordance with the result of comparison between the identification data and the related information.

The detecting section for detecting identification data recorded with respect to the recording medium is constituted so that detection of identification data is carried out through network.

Further, the information processing method according to this invention includes: a detection step of detecting identification data recorded on a recording medium; an input step of inputting related information relating to the recording medium; a memory control step of conducting a control so as to store related information inputted by processing of the input step in correspondence with the identification data; and a display control step of controlling display of related information stored by processing

of the memory control step.

Further, this method may include a step of comparing identification data recorded on the recording medium and related information inputted by the input means.

On the recording medium used in the above-described information processing apparatus and information processing method, there is recorded a program including: a detection step of detecting identification data recorded on the recording medium; an input step of inputting related information relating to the recording medium; a memory control step of conducting a control so as to store related information inputted by processing of the input step in correspondence with the identification data; and a display control step of controlling display of related information stored by processing of the memory control step.

In this invention, the identification data recorded on the recording medium is detected and related information relating to the recording medium is inputted. The inputted related information is stored in correspondence with the identification data.

Still further objects of this invention and more practical effects achieved by this invention will become more apparent from the description of the embodiment which will be given below.

#### Brief Description of the Drawings

FIG. 1 is a block diagram showing the configuration of the network system

according to the present invention.

FIG. 2 is a block diagram showing an example of the configuration of IRD constituting the network system shown in FIG. 1.

FIG. 3 is a block diagram showing an example of the configuration of CD player constituting the network system shown in FIG. 1.

FIG. 4 is a view for explaining a software stack stored on hard disc shown in FIG. 2.

FIG. 5 is a view for explaining install operation of DCM and FCM.

FIG. 6 is a flowchart for explaining related information input processing.

FIG. 7 is a view for explaining GUI displayed on LCD.

FIG. 8 is a view for explaining GUI displayed when pull-down key shown in FIG. 7 is operated.

FIG. 9 is a flowchart showing input operation procedure of title.

FIG. 10 is a view for explaining GUI displayed when an icon for selecting editing picture shown in FIG. 7 is operated.

FIG. 11 is a flowchart for explaining another example of the related information input processing.

FIG. 12 is a flowchart for explaining reproduction processing of a predetermined recording track of CD.

Best Mode for Carrying Out the Invention

FIG. 1 is a block diagram showing a home network system in accordance with this invention. To IEEE 1394 serial bus 1, an IRD 2 as controlling equipment and a CD player 3 as a controlled equipment which is controlled by this IRD 2 are connected.

While there is shown the example where the CD player 3 is connected to the serial bus 1 as controlled equipment, other controlled equipments may be further connected.

When the CD player 3 is connected to the IEEE 1394 serial bus 1, it transmits DCM (Device Control Module) and FCM (Function Control Module) which will be described later to the IRD 2 through the IEEE 1394 serial bus 1. The IRD 2 detects a connecting state of equipments connected to the IEEE 1394 serial bus 1 from the DCM and the FCM which are received information to allow a LCD (Liquid Crystal Display) 29 (see FIG. 2) which is a display unit within which GUI (Graphical User Interface) for controlling such equipments is included to carry out display.

A user operates a touch panel 28 (see FIG. 2) attached to the IRD 2 on the basis of the display of the LCD 29 to instruct the processing that the CD player 3 connected to the IEEE 1394 serial bus 1 executes. The IRD2 generates a control signal on the basis of the instruction from the user and delivers the control signal to the CD player 3 through the IEEE 1394 serial bus 1. The CD player 3 carries out processing, such as, for example, reproduction of musical data, etc. on the basis of the inputted control signal.

The IRD 2 is constituted as shown in FIG. 2, for example. A signal transmitted

from the CD player 3 is inputted to a CPU (Central Processing Unit) 23 through the IEEE 1394 serial bus 1, an IEEE 1394 interface 21 and an internal bus 22. Further, when the touch panel 28 is operated by user, a command corresponding to that operation is inputted to the CPU 23 through an input/output interface 27 and the internal bus 22. In this example, the touch panel 28 can be operated in accordance with message displayed on the LCD 29.

It is to be noted that while the touch panel 28 is used for the purpose of inputting operation command in this embodiment, means for attaining this operation is not limited to the touch panel 28, but operation keys and/or a keyboard on which a large number of operation keys are arranged, etc. may be used.

The CPU 23 functions as a control unit for controlling the entirety of the IRD

2. This CPU 23 reads out program stored in a ROM 24 in accordance with the inputted signal, executes the program, and output its processing result to the LCD 29 through the input/output interface 27 as occasion demands to allow the LCD 29 to display the processing result. The CPU 23 further generates character/picture data indicating such a message to assist operation of user and outputs such data to the LCD 29 through the internal bus 22 and the input/output interface 27 to allow the LCD 29 to display it, or generates a control signal for controlling the CD player 3 to transmit the control signal to the CD player 3 through the internal bus 22, the IEEE 1394 interface 21 and the IEEE 1394 serial bus 1. A RAM 25 temporarily stores data generated by execution of program of the CPU 23 and/or data required for allowing

the CD player 3 to execute processing.

An antenna 11 receives, e.g., signal of satellite broadcast wave and delivers the received signal to a tuner 26 of the IRD 2. The tuner 26 receives a signal of broadcast channel instructed from the CPU 23 among the received signals of satellite broadcast waves received by the antenna 11. On a hard disc (HD) 30, various applications or middle-wares, etc. that the CPU 23 executes are stored. At a drive 31, there can be mounted a magnetic disc 41, an optical disc 42, a magneto-optical disc 43, or a semiconductor memory 44, etc.

The CD player 3 connected to the IEEE 1394 serial bus 1 and controlled by the IRD 2 has a configuration as shown in FIG. 3.

A signal transmitted from the IRD 2 is inputted to a CPU 53 through the IEEE 1394 serial bus 1, an IEEE 1394 interface 51 and an internal bus 52. Further, when user operates the CD player 3 by using touch panel 58, a signal corresponding to the operation by user is inputted to the CPU 53 through an input/output interface 57 and the internal bus 52.

It is to be noted that operation means used for operating the CD player 3 is not limited to the touch panel 58, but operation keys, etc. may be used.

The CPU 53 provided at the CD player 3 reads out program stored in a ROM 54 on the basis of inputted signal, executes the program, and outputs, e.g., a control signal through the internal bus 52 to a reproduction processing section 56, or transmits its own DCM and FCM stored in the ROM 54 to the IRD 2 through the internal bus

52, the IEEE 1394 interface 51 and the IEEE 1394 serial bus 1. A RAM 55 temporarily stores data generated by the execution of program by the CPU 53 and/or data required for allowing the CD player 3 to execute the processing.

The reproduction processing section 56 of the CD player 3 reads data, e.g., musical data recorded on loaded media (not shown), CD in this example on the basis of control signal inputted from the CPU 53, and transmits such data to the IRD 2 through the internal bus 52, the IEEE 1394 interface 51 and the IEEE 1394 serial bus 1, or outputs data which has been read to a loudspeaker included therewithin to reproduce it. The reproduction processing section 56 further detects TOC (Table Of Contents) data from the reproduction data and outputs it to a LCD 59 through the internal bus 52 and the input/output interface 57 to allow the LCD 59 to display its content as visible information. In this example, as the TOC data displayed on the LCD 59 as a display unit, there are total number of recording tracks formed on CD and total data quantity of the recording tracks, etc. In this case, the total data quantity is displayed by time.

In this embodiment, in order that equipments on the network as shown in FIG. 1 operate in cooperation with each other, middle-ware for control and management of network is required. In this case, the middle-ware is a software positioned between low order software such as OS, network control program or data base system, etc. and high order application and serving to provide various services with respect to the application. Further, in order that the network normally operates so that mutual use





A DCM Manager serves to install DCM and AVDISCFCM which will be described later with respect to respective equipments on the network. In the network employing HAVi, DCM Manager installs DCM and AVDISCFCM in newly connected equipment when new equipment is connected to the network, and uninstalls DCM and AVDISCFCM from disconnected equipments when equipment is disconnected from the network.

An event manager performs a role to generate event in the case where the state of the network is varied, e.g., as the result of the fact that new equipment is connected to the network or equipment is disconnected therefrom to carry out transmission to other software modules. Thus, in the network employing HAVi, plug and play can be realized.

A registry serves to hold or update information relating to equipment, e.g., which equipment is connected on the network or which function corresponding equipment has, etc., and permits interaction among different equipments. Application program obtains necessary information from this registry. In addition, respective equipments on the network can confirm location of basic software modules of other equipments on the network by making reference to the registry.

A Stream Manager serves to carry out monitoring and management of stream

data such as video or audio data, i.e., a flow of continuous data on the network, thus to permit real time transmission of the stream data. Further, the Stream Manager carries out management of connection within the equipment and among equipments, carries out the insurance or release of network resource and provides of the connection information of the entirety of network. In addition, the Stream Manager can also support re-connection after bus reset of the network.

A Resource Manager processes a collision problem of device use rights, carries out the management of scheduled events such as the processing reserved at connected equipment, etc., or carries out monitoring e.g., the presence or absence of detachment of registered device, etc.

Application serves to detect identification data of data recorded on recording medium such as CD, etc. loaded on equipments such as CD player, etc. connected to the network to execute the judgment processing as to whether or not there is the same identification data in the attributes list. The detail of the attributes list will be described later.

DCM serves to carry out the control of equipments, and is installed from the CD player 3. Application program does not directly control respective equipments connected to the network, but carries out the control of respective equipments through corresponding DCMs. The AVDISCFM is installed from the CD player 3, and represents contents or functions of controls that the application program executes with respect to respective equipments to transmit AV/C command to the equipments

designated by the DCM. Since the DCM and the AVDISCFCM function as API, there is no necessity that Application program itself takes differences among individual equipments into consideration. Accordingly, in the network employing HAVi, the equipment on the network can recognize the function of other equipment, thus making it possible to operate other equipment from remote places.

Attributes List is constituted as indicated below, for example.

```
Attributes List {
  Unique ID [ ]:
  Attributes Data [ ]
}
Attributes Data {
  Title:
  Title Description:
  Artist:
  Image:
  Track [ ]
  TrackDescription [ ]
}
```

In this attributes list, ID for media recognition is stored at Unique ID [ ]:, and Attributes data (related information) relating to media is stored at AttributesData [ ]. Further, a title is stored at Title: in AttributesData, a description of title is stored at



(Legacy AV Device) has only function as an equipment which can be connected to IEEE 1394 serial bus 1. However, since LAV copes with AV/C command, it operates as the controlled equipment while it operates by itself.

In this invention, explanation will be given on the assumption that IRD 2 is an equipment corresponding to FAV (IEEE 1394 interface 21 is an equipment corresponding to CMM 1394) and CD player 3 is an equipment corresponding to BAV. As shown in FIG. 5, IRD 2 serving as FAV installs DCM and AVDISCFM of CD player 3 serving as BAV, thereby making it possible to place the CD player 3 under control.

The related information input processing that the IRD 2 executes will now be described.

Initially, the explanation will be given with reference to FIG. 6 in connection with the case where the IRD 2 serving as a controlling equipment selects CD the player 3 as a controlled equipment and selects CD as reproduction only recording medium. In this example, the IRD 2 is activated. Thus, e.g., device select picture is displayed on the LCD 29 serving as the display unit and the selection of CDs is carried out.

Although detailed explanation is omitted, respective software modules of the software stack which have been described with reference to FIG. 4 are read out from the hard disc 30 and sent to the CPU 23 and are executed at the CPU23.

First, in the related information input processing, as shown in FIG. 6, Application makes a request to AVDISCFM for notification of insertion of CD. At



in Attributes data already stored in Attributes List to judge whether or not they coincide with each other, i.e., whether or not there is the TOC data in which total number of tracks and data quantity of respective tracks, e.g., reproduction time are the same. In this case, the TOC data is used for identifying CD. In the case where identification information exists in addition to the above, such identification information may be used.

In the case where it is judged at the step S9 that received TOC data and TOC data in attributes data stored in the Attributes List coincide with each other, the processing procedure proceeds to step S10. Thus, the application reads thereinto Attributes data corresponding to the TOC data which has coincided from the attributes list to allow the LCD 29 to display its content to complete a series of processing. In this case, GUI as shown in FIG. 7 is displayed on the LCD 29.

At this time, the application transmits HAVi message, e.g., defined as below to AVDISCFCM to make a request for acquisition of at title, a title description, an artist, a track title, a track description and an image file stored in attributes data corresponding to TOC data in attributes list. Accordingly, GUI shown in FIG. 7 is displayed on the LCD 29 as the result of the transmission of these messages.

AVDISC: get\_Title

AVDISC: get\_Title\_Description

AVDISC: get\_Artist

AVDISC: get\_Track

AVDISC: get\_Track\_Description

AVDISC: get\_Image

At display column 61 of FIG. 7, track No. being selected and length of data of that track, e.g., playing time are displayed. In this case, immediately after attributes data are read, the first track No. is selected. In the example shown in FIG. 7, it is displayed that time of the first track is 12 minutes 5 seconds at present. In this example, as time displayed at the display column 61 at the time of reproduction, intermediate time during reproduction is displayed. Moreover, at a display column 68, a title is displayed. At a display column 69, an artist is displayed. Further, at a display column 70, a track title is displayed.

Further, when a pull-down key 71 within GUI shown in FIG. 7 is pressed by the user, a list box 81 is displayed as shown in FIG. 8. The user moves a cursor 82 in upper and lower directions to select other tracks.

When either one of icons 62 to 66 is touched by the user, the application sets AVDISCFM to either one of operation modes of Play state, Pause state, Stop state, Reverse state and Forward state. In addition, when the icon 67 is touched by the user, the application can eject CD. Namely, when the the icons 62 to 66 are touched by the user, the application respectively outputs, e.g., HAVi messages defined as below to AVDISCFM.

AVDISC:Play

AVDISC:Pause



AVDISC:Stop

AVDISC:Reverse

AVDISC:Forward

When AVDISCFM receives such message from the Application, it respectively outputs AV/C commands of (Play, Pause, Stop, Reverse, Forward, Eject) through the internal bus 22, the IEEE 1394 interface 21 and the IEEE 1394 serial bus

1. The CD player 3 receives these AV/C commands to carry out predetermined processing, e.g., Play, Pause, Stop, Reverse, Forward and Eject.

Further, when an icon 72 is touched by user, the application allows GUI to switch into edit picture which will be described later. When an icon 73 is touched, the application closes GUI.

Returning to FIG. 6, in the case where it is judged at step S9 that TOC data in Attributes data stored within Attributes List and received TOC data do not coincide, i.e., in the case where it is judged that related information of that CD is not yet stored within the Attributes List, the processing procedure proceeds to step S11. The application allows display columns 68 to 70 of GUI shown in FIG. 7 to be blank to display attributes data Table.

The operation procedure that the user inputs the related information such as title, etc. after processing of step S10 or step S11 shown in FIG. 6 will now be described with reference to FIG. 9.

In the state where operation procedure for carrying out input operation of

Then, at step S22, the user judges whether or not the related information such as title, etc. is inputted. In the case where it is judged that the related information such as title, etc. is inputted, the user touches the icon 72 shown in FIG. 7, i.e., the editing icon 72 for the purpose of displaying editing picture.

It is to be noted that in the case where the editing icon 72 is not operated, display state of GUI shown in FIG. 7 is caused to be continued.

When GUI shown in FIG. 10 is displayed at the step S23, inputting of the related information such as title, etc. is carried out by the user at step S24. At this step S24, by using a keyboard displayed on the touch panel 28, user can input a title at an input column 91, input a title description at an input column 92, input an artist name at an input column 93, input a track title at an input column 94 and input a track description at an input column 95. Moreover, at an input column 96, image file which is picture image data, etc. is attached. As an acquisition method for picture image data, e.g., there is a method of down-loading picture image data that the record company,

etc. delivers from Web, or the like. In this example, the input column 91 is linked with the display column 68 (see FIGS. 7 and 8), the input column 93 is linked with the display column 69, and the input column 94 is linked with the display column 70. When, e.g., text data is inputted to the input the columns 91, 93, 94, such input data are displayed at the display the columns 68 to 70.

When the user inputs a title, etc. on the basis of GUI shown in FIG. 10 at step S24 shown in FIG. 9 and presses an icon 97 for confirmation shown in FIG. 10, i.e., establishment of input is carried out at step S25, the application transmits HAVi message defined as below, for example, to AVDISCFCM to make a request for setting of attributes data of the title, title description, artist name, track title, track description and image file in the attributes list.

AVDISC:set\_Title

AVDISC:set\_Title\_Description

AVDISC:set\_Artist

AVDISC:set\_Track

AVDISC:set\_Track\_Description

AVDISC:set\_Image

At step S26, the application stores the content of attributes data (related information) inputted at the step S24 into the Attributes List to complete processing.

When input establishment is not carried out at step S25 and cancel icon 98 shown in FIG. 10 is operated, GUI shown in FIG. 10 is caused to be editing picture for

Moreover, in the case where it is judged at the step S22 that the title, etc. are not inputted, the operation procedure returns to the step S21 as described above to continue the display state of GUI shown in FIG. 7.

Namely, in the case where CD player 3 is selected in advance as the controlled equipment, when CD is loaded into the CD player 3 at step S31 as shown in FIG.11, Event Manager is informed that CD has been inserted at step S32. When the Event Manager receives response from the CD player 3, it notifies to Application at step S33 that CD has been inserted. Since the same procedure as that of the step S5 and steps subsequent thereto at subsequent times is taken, the detailed explanation is omitted.

The procedure of reproduction processing of music data recorded at predetermined recording tracks of CD will now be described with reference to the flowchart of FIG. 12.

In order to carry out reproduction of music data recorded on the CD, the CD is inserted into the CD player 3, and processing at the steps S1 to S10 shown in FIG. 6

When user operates the pull-down key 71 at step S41, Application allows the LCD 29 to display the list box 81 shown in FIG. 8. User moves cursor 82 in upper and lower directions to select recording track at which music data to be reproduced is recorded. Further, user operates icon 62 for selecting reproduction operation mode to designate reproduction of that recording track with respect to the CD player 3.

At step S44, when the CPU 53 receives notification from the AVDISCFM to control the reproduction processing section 56, the CD player 3 reproduces selected recording track. At step S55, the application judges whether or not stop is instructed by user, i.e., whether or not icon 64 for stopping reproduction shown in FIG. 7 is operated, or judges whether or not the reproduction of corresponding recording track is completed. As a result, in the case where all judgments are No, the processing procedure returns to the step S44 to repeat the above-described processing.

At step S55, in the case where either judgment is Yes, the processing procedure

proceeds to step S46. Thus, the application judges whether or not reproduction of different recording track is designated by user. As a result, in the case where it is judged that reproduction of different recording track is designated, the processing procedure returns to the step S42 to repeat the above-described processing subsequent thereto. On the other hand, in the case where it is judged that reproduction of different recording track is not designated, the processing is completed.

As described above, such an approach is employed to store user information such as title or description, etc. of CD inserted into the CD player 3 of the controlled side (BAV) as attributes data in attributes list of IRD2 of the control side (FAV), whereby even in the case where unrecordable reproduction only CD is employed, it is possible to carry out management on the basis of related information that user has added. Namely, the information processing apparatus of this invention is used, whereby user can listen to music of CD while looking at his favorite picture, and user reads out impression that he has previously experienced with respect to respective pieces of CD album, thereby making it possible to carry out program selection of only his favorite pieces to listen to them.

While explanation has been given by taking as example the case where a CD is reproduced in the above-described description, this invention can be applied to, e.g., a reproduction only DVD (Digital Versatile Disc), etc.

Furthermore, e.g., in the case where magneto-optical disc player using a magneto-optical disc of the recording/reproduction type as recording medium is

connected to the IEEE 1394 serial bus 1 disc to carry out, onto the magneto-optical disc, dubbing of data of CD inserted in the CD player 3, the magneto-optical disc player can carry out dubbing of stream data caused to flow from the CD player 3 and record attribute data (related information) caused to flow from IRD 2. Accordingly, user is not required to input title, etc. onto the magneto-optical disc for a second time.

A software for executing the above-described series of processing is installed from recording medium to computer in which program constituting its software is assembled into dedicated hardware, or, e.g., widely used personal computer, etc. which can execute various functions by installing various programs, etc.

This recording medium is constituted as shown in FIG. 2 not only by hard disc 30 on which there is recorded program offered to user in the state assembled into the IRD 2 in advance, but also by package media using magnetic disc 41 such as floppy disc, etc. on which program distributed for offering to user separately from the IRD 2 is recorded, a CD-ROM (Compact Disc-Read Only Memory), an optical disc 42 such as DVD, etc. a magneto-optical disc 43, or a semiconductor memory 44 which is solid-state memory, etc.

In addition, in this invention, steps for describing program recorded on the recording medium includes not only processing carried out in a time series manner along the described order, but also processing executed in parallel or individually even if such processing is not necessarily processed in a time series manner.

It is to be noted that, in this invention, the system represents the entirety of the

## Industrial Applicability

As described above, this invention adopts such an approach to detect the identification data recorded on recording medium to input related information relating to the recording medium to store inputted related information in the identification data. Accordingly, even in the case where reproduction only recording medium is employed, it is possible to carry out management on the basis of user information such as a title or an artist name, etc.



## CLAIMS

1. An information processing apparatus comprising:  
detecting means for detecting identification data recorded on a recording medium;  
input means for inputting related information relating to the recording medium;  
memory means for storing the related information inputted by the input means in correspondence with the identification data; and  
display control means for controlling display of the related information stored in the memory means.
2. The information processing apparatus as set forth in claim 1, further comprising a comparing section for comparing the identification data recorded on the recording medium with the related information inputted by the input means.
3. The information processing apparatus as set forth in claim 1, wherein the recording medium is a reproduction only recording medium.
4. The information processing apparatus as set forth in claim 1, wherein the detecting means detects the identification data through network.
5. The information processing apparatus as set forth in claim 1, wherein the identification data is TOC data.
6. An information processing method comprising:  
a detection step of detecting identification data recorded on a recording medium;



a memory control step of conducting a control so as to store the related information inputted by processing of the input step in correspondence with the identification data; and

a display control step of controlling display of the related information stored by processing of the memory control step.

095002 061201  
102130 20090810



1/9




FIG. 1




FIG. 2




FIG.3

3/9




FIG.4




FIG.5




FIG.6



5/9




FIG. 7




FIG. 8




FIG.9

09/868002-001307  
20250120092960

Title 91

Title Description 92

Artist 93

Track 94

Track Description 95

OK 97

Cancel 98

96

FIG.10




FIG.11




FIG.12

## Declaration and Power of Attorney for Patent Application

## 特許出願宣言書及び委任状

## Japanese Language Declaration

## 日本語宣言書

私は、以下に記名された発明者として、ここに下記のとおり宣言する：

As a below names inventor, I hereby declare that:

私の住所、郵便の宛先として国籍は、私の氏名の後に記載された通りである。

My residence, post office address and citizenship are as stated next to my name:

下記の名称の発明について、特許請求範囲に記載され、且つ特許が求められている発明主題に関して、私は、最初、最先且つ唯一の発明者である（唯一の氏名が記載されている場合）か、或いは最初、最先且つ共同発明者である（複数の氏名が記載されている場合）と信じている。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

## INFORMATION PROCESSING APPARATUS, INFORMATION

## PROCESSING METHOD AND RECORDING MEDIUM

the specification of which is attached hereto unless the following box is checked:

上記発明の明細書はここに添付されているが、下記の欄がチェックされている場合は、この限りでない：

☒ was filed on October 16, 2000 /  
as United States Application Number of  
PCT International Application Number PCT/JP00/07159 /  
and was amended under PCT Article 19  
on February 15, 2001 / (if applicable).

☐ の日に出版され、  
この出版の米国出版番号またはPCT国際出版番号は、  
であり、且つ  
の日に補正された出版（該当する場合）

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、上記の補正書によって補正された、特許請求範囲を含む上記明細書を検討し、且つ内容を理解していることをここに表明する。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

私は、連邦規則法典第37編規則1.56に定義されている、特許性について重要な情報を開示する義務があることを認める。

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the need of the individual case. Any comments on the amount of time you are required to complete this form should be sent to Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231.

Japanese Language Declaration

日本語宣言書

私は、ここに、以下に記載した外国での特許出願または発明者証の出願、或いは米国以外の少なくとも一国を指定している米国法第35編第361条(a)によるPCT国際出願について、同第119条(a)(4)項又は第365条(b)項に基づいて優先権を主張するとともに、優先権を主張する本出願の出願日より前の出願日を有する外国での特許出願または発明者証の出願、或いはPCT国際出願については、いかなる出願も、下記の内容をチェックすることにより示した。

Prior Foreign Application(s)

外国での先行出願

P11-293328 ✓

(Number)  
(番号)

Japan  
(Country)  
(国名)

15 October 1999  
(Day/Month/Year Filed) ✓

☐

PCT/JP00/07159 ✓

(Number)  
(番号)

PCT  
(Country)  
(国名)

16 October 2000  
(Day/Month/Year Filed) ✓

☐

(Number)  
(番号)

(Country)  
(国名)

(Day/Month/Year Filed)

☐

(Number)  
(番号)

(Country)  
(国名)

(Day/Month/Year Filed)

☐

(Number)  
(番号)

(Country)  
(国名)

(Day/Month/Year Filed)

☐

(Number)  
(番号)

(Country)  
(国名)

(Day/Month/Year Filed)

☐

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

私は、ここに、下記のいかなる米国仮特許出願についても、その米国法第35編第119条(a)項の利益を主張する。

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

私は、ここに、下記のいかなる米国出願についても、その米国法第35編第120条に基づき利益を主張し、又米国を指定するいかなるPCT国際出願についても、その同第365条(c)項に基づき利益を主張する。また、本出願の各特許請求の範囲の主題が、米国法第35編第112条第1段に規定された態様で、先行する米国出願又はPCT国際出願に開示されていない場合においては、その先行出願の出願日と本国内出願日またはPCT国際出願日との間の期間中に入手された情報で、連邦裁判法第37編規則1.56に定義された特許法に関わる重要な情報について開示義務があることを承認する。

(Application No.)  
(出願番号)

(Filing Date)  
(出願日)

(Status: Patented, Pending, Abandoned)  
(状況: 特許許可、係属中、放棄)

私は、ここに表明された私自身の知識に係わる陳述が真実であり、且つ情報と信ずることに基づく陳述が、真実であると信じられることを宣言し、さらに、故意に虚偽の陳述などを行った場合は、米国法第35編第1001条に基づき、罰金または拘禁、若しくはその両方により処罰され、またそのような故意による虚偽の陳述は、本出願またはそれに対して発行されるいかなる特許も、その有効性に問題が生ずることを理解した上で陳述が行われたことを、ここに宣言する。

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

## Japanese Language Declaration

## 日本語宣言書

委任状：私は本出願を審査する手続を行い、且つ米国特許商標庁との全ての業務を遂行するために、記名された発明者として、下記の弁護士及び/または弁理士を任命する。(氏名及び登録番号を記載すること)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number)

書類送付先

WILLIAM S. FROMMER, Registration No. 23,506 and  
DENNIS M. SMID, Registration No. 34,930

Send Correspondence to:

WILLIAM S. FROMMER, Esq.  
c/o FROMMER LAWRENCE & HAUG LLP  
745 Fifth Avenue  
New York, New York 10151

直通電話連絡先: (氏名及び電話番号)

Direct Telephone Calls to:

(212) 588-0800  
to the attention of:  
WILLIAM S. FROMMER

唯一または第一発明者氏名

Full name of sole or first inventor

発明者の署名

日付

1-00 Tokyo NAKAMURA  
Inventor's signature

Date

住所

Residence

国籍

Tokyo, Japan JPX  
Citizenship

郵便の宛先

Japan

Post Office Address

c/o Sony Corporation, 7-35, Kitashinagawa 6-chome,  
Shinagawa-ku, Tokyo 141-0001 Japan

第二共同発明者がある場合、その氏名

full name of second joint inventor, if any

第二共同発明者の署名

日付

Second inventor's signature

Date

住所

Residence

国籍

Citizenship

郵便の宛先

Post Office Address

(第三以下の共同発明者についても同様に記載し、署名をすること)

(Supply similar information and signature for third and subsequent joint inventors)